INDEX TO AUTHORS

ALLEN, JAMES R. See KALTREIDER, MENEELY, ALLEN, and BALE, 569

ANDERSON, RUBERT S. See FRIEDEWALD and ANDERSON, 463

ANDRUS, E. COWLES. See HILL and ANDRUS, 91

BAKER, ZELMA, HARRISON, R. W., and MILLER, BENJAMIN F. The bactericidal action of synthetic detergents, 611

—, —, and —. Inhibition by phospholipids of the action of synthetic detergents on bacteria, 621

BALE, WILLIAM F. See KALTREIDER, MENEELY, ALLEN, and BALE, 569

BANG, FREDERIK. Experimental gonococcus infection of the chick embryo, 387

BERRY, G. P. See SYVERTON, BERRY, and WARREN, 223

BING, RICHARD J., and ZUCKER, MARJORIE B. Renal hypertension produced by an amino acid, 235

BODIAN, DAVID. See HOWE and BODIAN, 145

BOON, MARY C. See FURTH and KABAT, 247

BOYD, WILLIAM C. Influence of character of antibody upon velocity of flocculation, 369

BRONSON, L. H. See PARKER, BRONSON, and GREEN, 263

BRUNDAGE, JEAN. See FURTH and KABAT, 247

BUDDINGH, G. JOHN, and WOMACK, FRANK C., JR. Observations on the infection of chick embryos with *Bacterium tularense*, *Brucella*, and *Pasteurella pestis*, 213

CASALS, J., and PALACIOS, R. The complement fixation test in the diagnosis of virus infections of the central nervous system, 409

CHAMBERS, LESLIE A. See HENLE, CHAMBERS, and GROUPÉ, 495

CLARK, WILLIAM F. See YUILE and CLARK, 187

—. See YUILE, STEINMAN, HAHN, and CLARK, 197

COHN, E. J. See PILLEMER, ECKER, ONCLEY, and COHN, 297

COX, ALVIN J., JR., and DOCK, WILLIAM. The capacity of the renal vascular bed in hypertension, 167

DOCK, WILLIAM. The capacity of the coronary bed in cardiac hypertrophy, 177

—. See COX and DOCK, 167

ECKER, E. E. See PILLEMER, ECKER, ONCLEY, and COHN, 297

EVANS, T. H., HAWKINS, W. LINCOLN, and HIBBERT, HAROLD. Studies on reactions relating to carbohydrates and polysaccharides. LXIV. Antigenicity of dextran produced by *Leuconostoc mesenteroides*, 511

FEKETE, ELIZABETH, WOOLLEY, GEORGE, and LITTLE, C. C. Histological changes following ovariectomy in mice. I.dba high tumor strain, 1

FISK, ROY T. See KESSEL, MOORE, STIMPERT, and FISK, 601

FOGLIA, V. G. See HOUSSAY, FOGLIA, and SMYTH, 283

FRIEDEWALD, WILLIAM F., and ANDERSON, RUBERT S. Influence of extraneous protein and virus concentration on the inactivation of the rabbit papilloma virus by x-rays, 463

FURTH, JACOB, and KABAT, ELVIN A. Immunological specificity of material sedimentable at high speed present in normal and tumor tissue, 247

—. See KABAT and FURTH, 257

GREEN, R. H. See PARKER, BRONSON, and GREEN, 263

GROUPÉ, VINCENT. See HENLE, CHAMBERS, and GROUPÉ, 495

HAHN, P. F. See YUILE, STEINMAN, HAHN, and CLARK, 197

HARRISON, R. W. See BAKER, HARRISON, and MILLER, 611, 621

HAWKINS, W. LINCOLN. See EVANS, HAWKINS, and HIBBERT, 511

HEIDELBERGER, MICHAEL, ROCHA E SILVA, M., and MAYER, MANFRED. Quantitative chemical studies on complement or alexin. III. Uptake of complement nitrogen under varying experimental conditions, 359

—. See HENRIKSEN and HEIDELBERGER, 105

HENLE, WERNER, CHAMBERS, LESLIE A., and GROUPÉ, VINCENT. The serological specificity of particulate components derived from various normal mammalian organs, 495

HENRIKSEN, SVERRE D., and HEIDELBERGER, MICHAEL. Chemical studies on bacterial agglutination. VI. The agglutinin content of antisera to hemolytic streptococci, 105

HIBBERT, HAROLD. See EVANS, HAWKINS, and HIBBERT, 511

HILL, W. H. PHILIP, and ANDRUS, E. COWLES. The cardiac factor in the "pressor" effects of renin and angiotonin, 91

HOAGLAND, CHARLES L., WARD, S. M., SMADEL, JOSEPH E., and RIVERS, THOMAS M. Constituents of elementary bodies of vaccinia. IV. Demonstration of copper in the purified virus, 69

—, —, —, and—. V. A flavin associated with the purified virus, 133

HORSFALL, F. L., JR., and RICKARD, E. R. Neutralizing antibodies in human serum after influenza A. The lack of strain specificity in the immunological response, 433

HOTTLE, GEORGE A., and PAPPENHEIMER, A. M., JR. A quantitative study of the scarlet fever toxin-antitoxin flocculation reaction, 545

HOUSSAY, B. A., FOGLIA, V. G., and SMYTH, F. S. Endocrine function of the surgically reduced pancreas, 283

HOWE, HOWARD A., and BODIAN, DAVID. Second attacks of poliomyelitis. An experimental study, 145

JOHNSON, MARY S. See WEBSTER and JOHNSON, 489

KABAT, ELVIN A., and FURTH, JACOB. Neutralization of the agent causing leucosis and sarcoma of fowls by rabbit antisera, 257

—. See FURTH and KABAT, 247

KALTREIDER, NOLAN L., MENEELY, GEORGE R., ALLEN, JAMES R., and BALE, WILLIAM F. Determination of the volume of the extracellular fluid of the body with radioactive sodium, 569

KATZ, L. N. See PHILIPSBORN, KATZ, and RODBARD, 591

KESSEL, JOHN F., MOORE, FREDERICK J., STIMPERT, FRED D., and FISK, ROY T. Occurrence of poliomyelitis virus in autopsies, patients, and contacts, 601

KIDD, JOHN G. The detection of a "masked" virus (the Shope papilloma virus) by means of immunization. Results of immunization with mixtures containing virus and antibody, 321

LANDSTEINER, KARL, and WIENER, ALEXANDER S. Studies on an agglutinogen (Rh) in human blood reacting with anti-*rhesus* sera and with human isoantibodies, 309

LITTLE, C. C. See FEKETE, WOOLLEY, and LITTLE, 1

LUCKÉ, BALDUIN, and SCHLUMBERGER, H. Transplantable epitheliomas of the lip and mouth of catfish. I. Pathology. Transplantation to anterior chamber of eye and into cornea, 397

MAYER, MANFRED. See HEIDELBERGER, ROCHA E SILVA, and MAYER, 359

MCCARTY, MACLYN, and TILLETT, WILLIAM S. The inactivating effect of sulfapyridine on the leucotoxic action of benzene, 531

MCMASTER, PHILIP D. An inquiry into the structural conditions affecting fluid transport in the interstitial tissue of the skin, 9

—. A method to determine the peripheral arterial blood pressure in the mouse, 29

MENEELY, GEORGE R. See KALTREIDER, MENEELY, ALLEN, and BALE, 569

MILLER, BENJAMIN F. See BAKER, HARRISON, and MILLER, 611, 621

MOORE, FREDERICK J. See KESSEL, MOORE, STIMPERT, and FISK, 601

MORGAN, ISABEL M. Influence of age on susceptibility and on immune response of mice to Eastern equine encephalomyelitis virus, 115

NELSON, JOHN B. The behavior of pox viruses in the respiratory tract. IV. The nasal instillation of fowl pox virus in chickens and in mice, 203

ONCLEY, J. L. See PILLEMER, ECKER, ONCLEY, and COHN, 297

PALACIOS, R. See CASALS and PALACIOS, 409

PAPPENHEIMER, A. M., JR. See HOTTLE and PAPPENHEIMER, 545

PARKER, R. F., BRONSON, L. H., and GREEN, R. H. Further studies of the infectious unit of vaccinia, 263

PHILIPSBORN, H., KATZ, L. N., and RODBARD, S. The effect of high protein diets on experimental renal hypertension, 591

PILLEMER, L., ECKER, E. E., ONCLEY, J. L., and COHN, E. J. The preparation and physicochemical characterization of the serum protein components of complement, 297

RICKARD, E. R. See HORSFALL and RICKARD, 433

RIVERS, THOMAS M. See HOAGLAND, WARD, SMADEL, and RIVERS, 69, 133

ROCHA E SILVA, M. See HEIDELBERGER, ROCHA E SILVA, and MAYER, 359

RODBARD, S. See PHILIPSBORN, KATZ, and RODBARD, 591

SABIN, ALBERT B., and WARD, ROBERT. The natural history of human poliomyelitis. II. Elimination of the virus, 519

SCHLUMBERGER, H. See LUCKÉ and SCHLUMBERGER, 397

SHOPE, RICHARD E. The swine lungworm as a reservoir and intermediate host for swine influenza virus. I. The presence of swine influenza virus in healthy and susceptible pigs, 41

SHOPE, RICHARD E. The swine lungworm as a reservoir and intermediate host for swine influenza virus. II. The transmission of swine influenza virus by the swine lungworm, 49

SMADEL, JOSEPH E., and SWIFT, HOMER F. Experimental nephritis in rats induced by injection of antikidney serum. V. Chronic nephritis of insidious development following apparent recovery from acute nephrotoxic nephritis, 345

—. See HOAGLAND, WARD, SMADEL, and RIVERS, 69, 133

SMYTH, F. S. See HOUSSAY, FOGLIA, and SMYTH, 283

SPRUNT, DOUGLAS H. The effect of the virus : host cell relationship on infection with vaccinia, 81

STEINMAN, JOHN F. See YUILE, STEINMAN, HAHN, and CLARK, 197

STIMPERT, FRED D. See KESSEL, MOORE, STIMPERT, and FISK, 601

SWIFT, HOMER F. Capacity of pleuropneumonia-like microorganisms to grow on chorioallantoic membranes, 557

—. See SMADEL and SWIFT, 345

SYVERTON, J. T., BERRY, G. P., and WARREN, S. L. The Roentgen radiation of papilloma virus (Shope). II. The effect of x-rays upon papilloma virus *in vitro*, 223

TENBROECK, CARL. Cultivation of the hog cholera virus, 427

TILLETT, WILLIAM S. See MCCARTY and TILLETT, 531

TRAGER, WILLIAM. Studies on conditions affecting the survival *in vitro* of a malarial parasite (*Plasmodium lophurae*), 441

WARD, ROBERT. See SABIN and WARD, 519

WARD, S. M. See HOAGLAND, WARD, SMADEL, and RIVERS, 69, 133

WARREN, S. L. See SYVERTON, BERRY, and WARREN, 223

WEBSTER, L. T., and JOHNSON, MARY S. Comparative virulence of St. Louis encephalitis virus cultured with brain tissue from innately susceptible and innately resistant mice, 489

WEXLER, ROBERT. See BAKER, HARRISON, and MILLER, 611, 621

WIENER, ALEXANDER S. See LANDSTEINER and WIENER, 309

WOMACK, FRANK C., JR. See BUDDINGH and WOMACK, 213

WOOLLEY, GEORGE. See FEKETE, WOOLLEY, and LITTLE, 1

YUILE, CHARLES L., and CLARK, WILLIAM F. Myohemoglobinuria. A study of the renal clearance of myohemoglobin in dogs, 187

—, STEINMAN, JOHN F., HAHN, P. F., and CLARK, WILLIAM F. The tubular factor in renal hemoglobin excretion, 197

ZUCKER, MARJORIE B. See BING and ZUCKER, 235

INDEX TO SUBJECTS

ACID, amino, producing renal hypertension, 235
Age, influence on susceptibility and immune response of mice to Eastern equine encephalomyelitis virus, 115
Agglutination, bacterial, chemical studies, agglutinin content of antisera to hemolytic streptococci, 105
Agglutinin content of antisera to hemolytic streptococci, 105
Agglutinogen (Rh) in human blood reacting with anti-*rhesus* sera and with human isoantibodies, 309
Alexin or complement, quantitative chemical studies, uptake of complement nitrogen under varying conditions, 359
Allantoic, chorio-, membranes, capacity of pleuropneumonia-like microorganisms to grow on, 557
Amino acid producing renal hypertension, 235
Angiotonin and renin, pressor effects, cardiac factor, 91
Antibodies, iso-, human, and anti-*rhesus* sera, agglutinogen (Rh) in human blood reacting with, 309
—, neutralizing, in human serum after influenza A, lack of strain specificity in immunological response, 433
Antibody, character, influence upon velocity of flocculation, 369
— and virus, detection of masked Shope papilloma virus by means of immunization with mixtures containing, 321
Antigenicity of dextran produced by *Leuconostoc mesenteroides*, 511
Antikidney serum injection inducing nephritis, 345
Antisera, rabbit, neutralization of agent causing leucosis and sarcoma of fowls, 257
— to hemolytic streptococci, agglutinin content, 105
Antitoxin, toxin-, flocculation reaction, scarlet fever, quantitative study, 545
Arterial blood pressure, peripheral, in mouse, method, 29
Artery, coronary bed, capacity in cardiac hypertrophy, 177

BACTERIA, action of synthetic detergents inhibited by phospholipids, 621
Bacterial agglutination, chemical studies, agglutinin content of antisera to hemolytic streptococci, 105
Bactericidal action of synthetic detergents, 611
Bacterium tularense, *Brucella*, and *Pasteurella pestis*, infection of chick embryos, 213
Benzene, leucotoxic action, inactivating effect of sulfapyridine, 531
Blood, human, agglutinogen (Rh) reacting with anti-*rhesus* sera and with human isoantibodies, 309
— pressure, arterial, peripheral, in mouse, method, 29
Bodies, elementary, of vaccinia, demonstration of copper in purified virus, 69
—, elementary, of vaccinia, flavin associated with purified virus, 133
Body fluid, extracellular, volume, determination with radioactive sodium, 569

Brain tissue from innately susceptible and innately resistant mice, comparative virulence of St. Louis encephalitis virus cultured with, 489
Brucella, *Bacterium tularense*, and *Pasteurella pestis*, infection of chick embryos, 213

CARBOHYDRATES and polysaccharides, antigenicity of dextran produced by *Leuconostoc mesenteroides*, 511
Cardiac. *See* Heart.
Catfish, epitheliomas of lip and mouth, transplantation to anterior chamber of eye and into cornea, 397
Cell, host, and virus, relation, effect on infection with vaccinia, 81
Chemical, physico-, characterization, and preparation of serum protein components of complement, 297
— studies on bacterial agglutination, agglutinin content of antisera to hemolytic streptococci, 105
— studies, quantitative, on complement or alexin, uptake of complement nitrogen under varying conditions, 359
Cholera, hog, virus, cultivation, 427
Chorioallantoic membranes, capacity of pleuropneumonia-like microorganisms to grow on, 557
Complement or alexin, quantitative chemical studies, uptake of complement nitrogen under varying conditions, 359
— fixation test in diagnosis of virus infections of central nervous system, 409
—, serum protein components, preparation and physicochemical characterization, 297
Copper, demonstration in purified vaccinia virus, 69
Cornea, catfish, transplantation of epitheliomas of lip and mouth to, 397
Coronary artery. *See* Artery.
Cultivation of hog cholera virus, 427
— of St. Louis encephalitis virus with brain tissue from innately susceptible and innately resistant mice, comparative virulence, 489

DETERGENTS, synthetic, action on bacteria, inhibition by phospholipids, 621
—, synthetic, bactericidal action, 611
Dextran produced by *Leuconostoc mesenteroides*, antigenicity, 511
Diets, protein, high, effect on renal hypertension, 591

EMBRYO, chick, gonococcus infection, 387
—, chick, infection with *Bacterium tularense*, *Brucella*, and *Pasteurella pestis*, 213
Encephalitis, St. Louis, virus cultured with brain tissue from innately susceptible and innately resistant mice, comparative virulence, 489
Encephalomyelitis, equine, Eastern, influence of age on susceptibility and immune response of mice to virus, 115
Endocrine function of surgically reduced pancreas, 283
Epitheliomas of lip and mouth of catfish, transplantation to anterior chamber of eye and into cornea, 397
Excretion, renal hemoglobin, tubular factor, 197
Eye, anterior chamber, catfish, transplantation of epitheliomas of lip and mouth to, 397

FEVER, scarlet. *See* Scarlet fever.
Fixation, complement. *See* Complement.
Flavin associated with purified vaccinia virus, 133

Flocculation reaction, toxin-antitoxin, scarlet fever, quantitative study, 545
—, velocity, influence of character of antibody, 369
Fluid, body, extracellular, volume, determination with radioactive sodium, 569
— transport in interstitial tissue of skin, structural conditions affecting, 9
Fowl leucosis and sarcoma, agent causing, neutralization by rabbit antisera, 257
— pox virus, nasal instillation in chickens and mice, 203

GONOCOCCUS infection of chick embryo, 387

HEART factor in pressor effects of renin and angiotonin, 91
— hypertrophy, capacity of coronary bed, 177
Hemoglobin excretion, renal, tubular factor, 197
Hemolytic streptococci, agglutinin content of antisera to, 105
Histological changes following ovariectomy in mice, dba high tumor strain, 1
Hog cholera virus, cultivation, 427
Horse encephalomyelitis virus, Eastern, influence of age on susceptibility and immune response of mice to, 115
Hypertension, capacity of renal vascular bed, 167
—, renal, effect of high protein diets, 591
—, renal, produced by amino acid, 235
Hypertrophy, cardiac, capacity of coronary bed, 177

IMMUNE response and susceptibility of mice to Eastern equine encephalomyelitis virus, influence of age, 115
Immunization with mixtures containing virus and antibody, detection of masked Shope papilloma virus by means of, 321
Immunological response to influenza A, lack of strain specificity, 433
— specificity of material sedimentable at high speed present in normal and tumor tissues, 247
Influenza A, neutralizing antibodies in human serum after, lack of strain specificity in immunological response, 433
—, swine, virus, presence in healthy and susceptible pigs, 41
—, swine, virus, transmission by swine lungworm, 49
Injection, antikidney serum, inducing nephritis, 345
Isoantibodies, human, and anti-*rhesus* sera, agglutinogen (Rh) in human blood reacting with, 309

KIDNEY, anti-, serum, injection inducing nephritis, 345
— clearance of myohemoglobin, 187
— hemoglobin excretion, tubular factor, 197
— hypertension, effect of high protein diets, 591
— hypertension produced by amino acid, 235
— vascular bed in hypertension, capacity, 167

LEUCONOSTOC *mesenteroides*, antigenicity of dextran produced by, 511
Leucosis and sarcoma of fowls, agent causing, neutralization by rabbit antisera, 257
Leucotoxic action of benzene, inactivating effect of sulfapyridine, 531
Lip and mouth of catfish, epitheliomas, transplantation to anterior chamber of eye and into cornea, 397

Lungworm, swine, as reservoir and intermediate host for swine influenza virus, 41, 49

MALARIAL parasite, *Plasmodium lophurae*, conditions affecting survival *in vitro*, 441
Mammalian organs, serological specificity of particulate components from, 495
Man, blood, agglutinogen (Rh) reacting with anti-*rhesus* sera and with human isoantibodies, 309
—, poliomyelitis, virus, elimination, 519
—, serum, neutralizing antibodies after influenza A, lack of strain specificity in immunological response, 433
Membranes, chorioallantoic, capacity of pleuropneumonia-like microorganisms to grow on, 557
Microorganisms, pleuropneumonia-like, capacity to grow on chorioallantoic membranes, 557
Mouth and lip of catfish, epitheliomas, transplantation to anterior chamber of eye and into cornea, 397
Myohemoglobin, renal clearance, 187
Myohemoglobinuria, renal clearance of myohemoglobin, 187

NEPHRITIS induced by injection of antikidney serum, 345
Nephrotoxic nephritis, acute, chronic nephritis following apparent recovery from, 345
Nervous system, central, virus infections, diagnosis, complement fixation test, 409
Nitrogen, complement, uptake under varying conditions, 359
Nose, instillation of fowl pox virus in chickens and mice, 203

ORGANS, mammalian, serological specificity of particulate components from, 495
Ovariectomy in mice, histological changes following, dba high tumor strain, 1

PANCREAS, surgically reduced, endocrine function, 283
Papilloma virus, rabbit, inactivation by x-rays, influence of extraneous protein and virus concentration, 463
— virus, Shope, *in vitro*, effect of x-rays, 223
— virus, Shope, masked, detection by means of immunization with mixtures containing virus and antibody, 321
Parasite, malarial, *Plasmodium lophurae*, conditions affecting survival *in vitro*, 441
Particulate components derived from mammalian organs, serological specificity, 495
Pasteurella pestis, *Bacterium tularense*, and *Brucella*, infection of chick embryos, 213
Pathology of transplantable epitheliomas of lip and mouth of catfish, 397
Phospholipids, inhibition of action of synthetic detergents on bacteria by, 621
Physicochemical characterization and preparation of serum protein components of complement, 297
Plasmodium lophurae, conditions affecting survival *in vitro*, 441
Pleuropneumonia-like microorganisms, capacity to grow on chorioallantoic membranes, 557
Poliomyelitis, human, elimination of virus, 519
—, second attacks, 145
— virus, occurrence in autopsies, patients, and contacts, 601
Polysaccharides and carbohydrates, antigenicity of dextran produced by *Leuconostoc mesenteroides*, 511
Pox viruses, behavior in respiratory tract, nasal instillation in chickens and mice, 203

Pressor effects of renin and angiotonin, cardiac factor, 91
Protein components, serum, of complement, preparation and physicochemical characterization, 297
— diets, high, effect on renal hypertension, 591
—, extraneous, and virus concentration, influence on inactivation of rabbit papilloma virus by x-rays, 463

RADIOACTIVE sodium, determination of volume of extracellular body fluid, 569
Renal. *See* Kidney.
Renin and angiotonin, pressor effects, cardiac factor, 91
Resistance and susceptibility, innate, in mice, comparative virulence of St. Louis encephalitis virus cultured with brain tissue, 489
Respiratory tract, behavior of pox viruses, nasal instillation in chickens and mice, 203
Roentgen rays, effect upon Shope papilloma virus *in vitro*, 223
— rays, inactivation of rabbit papilloma virus by influence of extraneous protein and virus concentration, 463

ST. LOUIS encephalitis virus cultured with brain tissue from innately susceptible and innately resistant mice, comparative virulence, 489
Sarcoma and leucosis of fowls, agent causing, neutralization by rabbit antisera, 257
Scarlet fever toxin-antitoxin flocculation reaction, quantitative study, 545
Sedimentable material present in normal and tumor tissues, immunological specificity, 247
Sera, anti-*rhesus*, and human isoantibodies, agglutinogen (Rh) in human blood reacting with, 309
Serological specificity of particulate components from mammalian organs, 495
Serum, antikidney, nephritis induced by injection, 345
—, human, neutralizing antibodies after influenza A, lack of strain specificity in immunological response, 433
— protein components of complement, preparation and physicochemical characterization, 297
Shope papilloma virus, *in vitro*, effect of x-rays, 223
— papilloma virus, masked, detection by means of immunization with mixtures containing virus and antibody, 321
Skin, interstitial tissue, structural conditions affecting fluid transport, 9
Sodium, radioactive, determination of volume of extracellular body fluid, 569
Specificity, immunological, of material sedimentable at high speed present in normal and tumor tissues, 247
—, serological, of particulate components from mammalian organs, 495
—, strain, lack in immunological response to influenza A, 433
Streptococci, hemolytic, agglutinin content of antisera to, 105
Sulfapyridine, inactivating effect on leucotoxic action of benzene, 531
Surgically reduced pancreas, endocrine function, 283
Susceptibility and immune response of mice to Eastern equine encephalomyelitis virus, influence of age, 115
— and resistance, innate, in mice, comparative virulence of St. Louis encephalitis virus cultured with brain tissue, 489
Susceptible and healthy pigs, presence of swine influenza virus, 41

Swine influenza virus, presence in healthy and susceptible pigs, 41
— influenza virus, transmission by swine lungworm, 49
— lungworm as reservoir and intermediate host for swine influenza virus, 41, 49

TISSUE, brain, from innately susceptible and innately resistant mice, comparative virulence of St. Louis encephalitis virus cultured with, 489
—, interstitial, skin, structural conditions affecting fluid transport, 9
—, tumor, and normal, immunological specificity of material sedimentable at high speed present in, 247
Toxin-antitoxin flocculation reaction, scarlet fever, quantitative study, 545
Transmission of swine influenza virus by swine lungworm, 49
Transplantation of epitheliomas of lip and mouth of catfish to anterior chamber of eye and into cornea, 397
Tubule, factor in renal hemoglobin excretion, 197
Tumor and normal tissues, immunological specificity of material sedimentable at high speed present in, 247
— strain, dba, histological changes following ovariectomy in mice, 1

VACCINIA, elementary bodies, demonstration of copper in purified virus, 69
—, elementary bodies, flavin associated with purified virus, 133
—, infection, effect of virus:host cell relation, 81
—, infectious unit, 263
Virulence, comparative, of St. Louis encephalitis virus cultured with brain tissue from innately susceptible and innately resistant mice, 489
Virus, Eastern equine encephalomyelitis, influence of age on susceptibility and immune response of mice to, 115
—, hog cholera, cultivation, 427
— infections of central nervous system, diagnosis, complement fixation test, 409
—, papilloma, rabbit, inactivation by x-rays, influence of extraneous protein and virus concentration, 463
—, poliomyelitis, human, elimination, 519
—, poliomyelitis, occurrence in autopsies, patients, and contacts, 601
—, St. Louis encephalitis, cultured with brain tissue from innately susceptible and innately resistant mice, comparative virulence, 489
—, Shope papilloma, *in vitro*, effect of x-rays, 223
—, Shope papilloma, masked, detection by means of immunization with mixtures containing virus and antibody, 321
—, swine influenza, presence in healthy and susceptible pigs, 41
—, swine influenza, transmission by swine lungworm, 49
—, vaccinia, purified, demonstration of copper in, 69
—, vaccinia, purified, flavin associated with, 133
Viruses, pox, behavior in respiratory tract, nasal instillation in chickens and mice, 203
Virus:host cell relation, effect on infection with vaccinia, 81

X-RAYS. *See* Roentgen rays.